PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

- (51) International Patent Classification ⁷:
 C07D 473/34, C07H 19/167, A61K 31/70, 31/52
- (11) International Publication Number:

WO 00/23447

(43) International Publication Date:

27 April 2000 (27.04.00)

(21) International Application Number:

PCT/US99/22932

A1

(22) International Filing Date:

12 October 1999 (12.10.99)

(30) Priority Data:

09/174,191

16 October 1998 (16.10.98)

US

- (71) Applicant (for all designated States except US): AVENTIS PHARMACEUTICALS PRODUCTS INC. [US/US]; Legal/Patent, 500 Arcola Road, Collegeville, PA 19426 (US).
- (72) Inventors: and
- (75) Inventors/Applicants (for US only): MYERS, Michael, R. [US/FR]; 3 allee du Prieure, F-78860 St. Nom La Breteche (FR). MAGUIRE, Martin, P. [US/US]; 6 Kimball Court, Apt. 311, Woburn, MA 01801 (US). SPADA, Alfred, P. [US/US]; 473 Painter Way, Lansdale, PA 19446 (US). EWING, William, R. [US/US]; 805 Graystone Lane, Downingtown, PA 19335 (US). PAULS, Heinz, W. [US/US]; 3770 Worthington Circle, Collegeville, PA 19426 (US). CHOI-SLEDESKI, Yong, Mi [US/US]; 5 Dana Drive, Collegeville, PA 19426 (US).
- (74) Agents: OEHLER, Ross, J. et al.; Aventis Pharmaceuticals Products Inc., 500 Arcola Road, Collegeville, PA 19426 (US).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.
With amended claims and statement.

Date of publication of the amended claims and statement:

29 June 2000 (29.06.00)

(US).

TIC PROPERTIES

(54) Title: ADENOSINE ANALOGUES HAVING ANTIHYPERTENSIVE, CARDIOPROTECTIVE, ANTI-ISCHEMIC ANTILIPOLY-

(57) Abstract

This invention relates to adenosine derivatives and analogues described by Formula (I) which possess biological activity and are useful as anti-hypertensive, cardioprotective, anti-ischemic, and antilipolytic agents, to pharmaceutical compositions including such compound, and their use in treating hypertension, myocardial ischemia, ameliorating ischemic injury and myocardial infarct size consequent to myocardial ischemia, and treating hyperlipidemia and hypercholesterolemia, and to methods and intermediates used in the preparation of such compounds.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	AL.	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
	AM	Armenia	FI	Finland	LT	Lithuania	SK	Słovakia
	AT	Austria	FR	France	LU	Luxembourg	SIN	Senegal
	AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
	ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
	BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
	BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
	BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
	BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
	BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
	BJ	Benin	ΙE	Ireland	MN	Mongolia	UA	Ukraine
	BR	Brazil	IL	[srae]	MR	Mauritania	UG	Uganda
	BY	Belanis	IS	Iceland	MW	Malawi	US	United States of America
	CA	Canada .	IT	Itały	MX	Mexico	UZ	Uzbekistan
	CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
	CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
	CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
	CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
	CM	Cameroon		Republic of Korea	PL	Poland		
	CN	China	KR	Republic of Korea	PT	Portugal		
i	CU	Cuba	ΚZ	Kazakstan	RO	Romania		
	CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		•
	DE	Germany	LI	Liechtenstein	SD	Sudan		•
	DK	Denmark	LK	Sri Lanka	SE	Sweden		
	EE .	Estonia	LR	Liberia .	SG	Singapore		

AMENDED CLAIMS

[received by the International Bureau on 25 April 2000 (25.04.00); original claims 1-9 and 12-17 amended; remaining claims unchanged1 (6 pages)]

1. A pharmaceutically acceptable salt, a pharmaceutically acceptable prodrug, an N-oxide, a hydrate or a solvate of a compound of the formula

5

10

15

20


25

wherein:

K is N or CH;

Q is CH2 or O;

Ro is hydrogen, alkyl, allyl, 2-methylallyl, 2-butenyl, or cycloalkyl;



where the nitrogen of the ring of X is substituted by Y;

E is O or S;

Y is hydrogen, alkyl, aralkyl, substituted aralkyl, aryl, substituted aryl, heterocyclyl, substituted heterocyclylalkyl, or substituted heterocyclylalkyl;

n and p are independently 0, 1, 2, or 3, provided that n + p is at least 1;

T is hydrogen, alkyl, acyl, thioacyl, halo, carboxyl,

R₁, R₂, and R₃ are independently H. alkyl, or cycloalkyl;

A is hydrogen, alkyl, hydroxyalkyl, alkoxyalkyl, or OR; and

B is hydrogen, alkyl, hydroxyalkyl, alkoxyalkyl, or OR";

wherein R' and R" are independently hydrogen, alkyl, aralkyl, carbamoyl, alkyl carbamoyl, dialkylcarbamoyl, acyl, alkoxycarbonyl, aralkoxycarbonyl, aryloxycarbonyl, or, when A and B are OR' and OR", respectively, R' and R" together may form

5

10

15

20


25

are independently hydrogen, alkyl, or together with the carbon atom to which they are attached may form a 1,1-cycloalkyl group.

2. A pharmaceutically acceptable salt, a pharmaceutically acceptable prodrug, an N-oxide, a hydrate or a solvate according to claim 1 wherein in said compound K is N;

T is hydroxymethyl or methoxymethyl;

A and B are hydroxy;



and n + p is 3 or 4.

A pharmacentically acceptable salt, a pharmacentically acceptable prodrug, an N-oxide, a hydrate 3. or a solvate of a compound selected from (2R,3R,4S,5R)-2-hydroxymethyl-5-[6-[1-(5-chloropyridin-2y])-pyrrolidin-3(S)-ylamino]-purin-9-yl]- tetrahydrofuran-3,4-diol, (2R,3S.4R,5R)-2-hydroxymethyl-5-[6-[1-(5-trifluoromethylpyridin-2-yl)-pyrrolidin-3(R)-ylamino]-purin-9-yl]tetrahydrofuran-3,4-diol, (2R,3R,4S,5R)-2-hydroxymethyl-5-[6-[1-(5-trifluoromethylpyridin-2-yl)-pyrrolidin-3(S)-ylamino]-purin-9-yl]tetrahydrofuran-3,4-diol, (2R,3R,4S,5R)-2-hydroxymethyl-5-[6-[1-(4-trifluoromethylpyridin-2-yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]tetrahydrofuran-3,4-diol, (2R,3R,4S,5R) 2-hydroxymethyl -5-[6-[1-(5-bromopyridin-2-yl)-pyrrolidin-3(S)-ylamino]-purin-9-yl]- tetrahydrofuran-3,4-diol, (2R,3R,4S,5R)-2hydroxymethyl -5-(6-(1-(4-nitrophenyl)-pytrolidin-3(S)-ylamino) -purin-9-yl) tetrahydrofuran-3,4-diol. (2R,3R,4S,5R)-2-hydroxymethyl-5-[6-(5'-trifluoromethyl-3,4,5,6-tetrahydro-2H-[1,2']-bipyridinyl-3-yl)purin-9-yl]tetrahydrofuran-3,4-diol, (2R,3R,4S,5R)-2-hydroxymethyl-5-[6-(phenylpyrrolidin-3(S)ylamino)-purin-9-yl]tetrahydrofuran-3,4-diol. (2R,3R,4S,5R)-2-hydroxymethyl-5-[6-(1-pyridin-2-yl-pyrrolidin-3(S)-ylamino]-purin-9-yl]tetrahydrofuran-3,4-diol, (2R,3R,4S,5R)-2-hydroxymethyl -5-[6-[1-(4chlorophenyl)-pyrrolidin-3(S)-ylamino]-purin-9-yl]- tetrahydrofuran-3,4-diol, (2R,3R,4S,5R)-2-hydroxymethyl-5-[6-[1-(5-methylpyridin-2-yl)-pyrrolidin-3(S)-ylamino]-purin-9-yl]tetrahydrofuran-3,4-diol, (2R,3R,4S,5R)-2-hydroxymethyl-5-[6-[1-(5-thiophen-2-ylpyridin-2-yl)-pyrrolidin-3(S)-ylamino]-purin-9yl]tetrahydrofuran-3,4-diol, (2R,3R,4S,5R)-2-hydroxymethyl-5-[6-[1-(5-methylmercaptopyridin-2-yl)-

10

15

20

25

30

diol, (1R.2S,3R,5R)-5-(-[6-[1-(4-trifluoromethylphenyl) -pyrrolidin-3(S)-ylamino]-purin-9-yl] -3-hydroxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-5-[6-[1-(5-bromopyridin-2-yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]-3-methoxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-5-[6-[1-(5-chlorpyridin-2-yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]-3-methoxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-3-methoxymethyl-5-[6-[1-(4-trifluoromethylphenyl)pyrrolidin-3(S)-ylamino]-purin-9-yl]-3-methoxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-5-[6-[1-(4-chlorophenyl)-pyrrolidin-3(S)-ylamino]-purin-9-yl]-3-methoxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-5-[6-[1-(3-chlorophenyl)-pyrrolidin-3(S)-ylamino]-purin-9-yl]-3-hydroxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-3-methoxymethyl-5-[6-[1-phenylpyrrolidin-3-(S)-ylamino]-purin-9-yl]cyclopentan-1,2-diol, (1R,2S,3R,5R)-3-[6-(1-benzyl-pyrrolidin-3(S)-ylamino)purin-9-yl]5-hydroxymethylcyclopentane-1,2-diol, or (1R,2S,3R,5R)-3-[6-(1-benzyl-pyrrolidin-3(S)-ylamino)purin-9-yl]5-methoxymethylcyclopentane-1,2-diol.


4. A pharmaceutically acceptable salt, a pharmaceutically acceptable produg, an N-oxide, a hydrate or a solvate according to claim 1 wherein in said compound Q is CH₂;

K is N;

R₁ O II

T is R₂ , wherein R₁ is H and R₂ is lower alkyl;

A and B are hydroxy;




and n + p is 3 or 4.

- A pharmaceutically acceptable salt, a pharmaceutically acceptable prodrug, an N-oxide, a hydrate or a solvate of a compound selected from (1S,2R,3S,4R)-2,3-dihydroxy-4-[6-[1-(5-trifluormethylpyridin-2-yl)pyrrolidin-3-ylamino]-purin-9-yl]cyclopentanecarboxylic acid ethylamide, 5'-N-[1(S)-methylpropyl]-N6-[1-(5-trifluoromethylpyridin-2-yl)-pyrrolidin-3-(S)-yl]carbocyclic adenosine-5'-uronamide, or 5'-N-[1(R)-methylpropyl]-N6-[1-(5-trifluoromethylpyridin-2-yl)-pyrrolidin-3-(S)-yl]carbocyclic adenosine-5'-uronamide.
- 6. A pharmaceutically acceptable salt, a pharmaceutically acceptable prodrug, an N-oxide, a hydrate or a solvate according to claim 1 wherein in said compound Q is CH.;

K is N;

T is hydroxymethyl or methoxymethyl;

A and B are hydroxy;



5 and n + p is 3 or 4.

A pharmaceutically acceptable salt, a pharmaceutically acceptable prodrug, an N-oxide, a hydrate 7. or a solvate of a compound selected from (1S,2R,3R,5R)-3-hydroxymethyl-5-[6-[1-(4nitrophenyl)piperidin-4-yl]-purin-9-yl]cyclopentane-1,2-diol, (1S,2R,3R,5R)-3-hydroxymethyl-5-[6-((3S)-pyrrolidin-3-ylamino)-purin-9-yl] cyclopenture-1,2-diol dihydrochloride, (1S,2R,3R,5R)-3-10 hydroxymethyl-5-[6-[1-(4-nitrophenyl)pyrrolidin-3-ylamino]-purin-9-yl]cyclopentane-1,2-diol, (1S,2R,3R,5R)-3-hydroxymethyl-5-[6-[1-(5-trifluoromethylpyridin-2-yl)pyrrolidin-3(R)-ylamino]-purin-9-yl]cyclopentane-1,2-diol, (1S,2R,3R,5R)-3-hydroxymethyl-5-[6-((3R)-pyrrolidin-3-ylamino)-purin-9yl] cyclopentane-1,2-diol, (1R,2S,3R,5R)-3-hydroxymethyl-5-[6-[1-(5-trifluoromethylpyridin-2yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]cyclopentane-1,2-diol, (1R,2S,3R,5R) -5-[6-[1-(5-bromopyridin-15 2-yl)pyrrolidin-3(S)-ylamino]-purin-9-yl] -3-hydroxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-5-[6-[1-(5-chloropyridin-2-yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]-3-hydroxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-3-hydroxymethyl-5-[6-[1-(4-trifluoromethylpyridin-2-yl)pyrrolidin-3(S)-ylamino]-putin-9-yl]cyclopentane-1.2-diol, (1R,2S,3R,5R)-3-hydroxymethyl-5-[6-[1-(pyridin-2-yl)pyrrolidin-3(S)ylamino]-purin-9-yl]cyclopentane-1,2-diol, (1R,2S,3R,5R)-3-hydroxymethyl-5-[6-[1-(quinolin-3-20 yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]cyclopentane-1,2-diol, (1R,2S,3R,5R)-3-hydroxymethyl-5-[6-[1-S-(4-nitrophenyl)-pytrolidin-3(S)-ylamino]-purin-9-yl]cyclopentane-1,2-diol, (1R,2S,3R,5R)-5-[6-[1-(4,5-bistrifluorpyridin-2-yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]-3-hydroxymethylcyclopentane-1,2-diol, (1R.2S,3R.5R)-3-methoxymethyl-5-[6-[1-(5-trifluoromethylpyridin2-yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]cyclopentane-1,2-diol. (1R,2S,3R,5R)-3-hydroxymethyl-5-[6-[1-(phenyl)-pytrolidin-3(S)-ylamino]-25 purin-9-yl]cyclopentane-1,2-diol, 4-[3(S)-[9-(2,3-dihydroxy-4-hydroxymethylcyclopentyl)-9H-purin-6ylamino]pyrrolidin-1-yl]benzonitrile, (1R,2S,3R,5R)-3-hydroxymethyl-5-[6-[1-(isoquinolin-1yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]cyclopentunc-1,2-diol, (1R,2S,3R,5R)-5-[6-[1-(6-bromoquinolin-2-yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]-3-hydroxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-5-[6-[1-(4-chlorophenyl)pyrrolidin-3(S)-ylamino]-purin-9-yl]-3-hydroxymethylcyclopentane-1,2-diol, 30 (1R,2S,3R,5R)-3-[6-[1-(3-chloro-5-trifluoromethylpyridin-2-yl)pyrrolidin-3(S)-ylamino}-purin-9-yl]-3methoxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-5-[6-[1-(6-chloropyrimidin-4-yl)pyrrolidin-3(S)ylamino]-purin-9-yl]-3-hydruxymethylcyclopentane-1.2-diol, (1R.2S.3R.5R)-5-[6-[1-(6-1)chloropyrimidin-4-yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]-3-hydroxymethylcyclopentane-1,2-diol,

(1R,2S,3R,5R)-5-[6-[1-(6-chloropyrimidin-4-yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]-3methoxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-5-[6-[1-(6-chloropyridazin-3-yl)pyrrolidin-3(S)ylamino]-purin-9-yl]-3-hydroxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-3-methoxymethyl-5-[6-[1-(6-methoxypyrimidin-4-yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]cyclopentane-1,2-diol, (1R,2S,3R,5R)-5-[6-[1-(6-chloropyridazin-3-yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]-3-methoxymethylcyclopentane-1,2diol. (1R,2S,3R,5R)-5-(-[6-[1-(4-trifluoromethylphenyl) -pytrolidin-3(S)-ylamino]-purin-9-yl] -3hydroxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-5-[6-[1-(5-bromopyridin-2-yl)pyrrolidin-3(S)ylamino]-purin-9-yl]-3-methoxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-5-[6-[1-(5-chlorpyridin-2yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]-3-methoxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-3methoxymethyl-5-[6-[1-(4-trifluoromethylphenyl)pyrrolidin-3(S)-ylamino]-purin-9-yl]cyclopentane-1,2diol, (1R,2S,3R,5R)-5-(-[6-[1-(4-chlorophenyl)-pyrrolidin-3(S)-ylamino] -purin-9-yl]-3methoxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-5- [6-[1-(3-chlorophenyl) -pyrrolidin-3(S)ylamino] -purin-9-yl]-3-methoxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-5-[6-[1-(3-chlorophenyl)pyrrolidin-3(S)-ylamino]-purin-9-yl]-3-hydroxymethylcyclopentane-1,2-diol, (1R,2S,3R,5R)-3methoxymethyl-5-[6-[1-phenylpyrrolidin-3-(S)-ylamino]-purin-9-yl]cyclopentan-1,2-diol, (1R,2S,3R,5R)-3-[6-(1-benzyl-pyrrolidin-3(S)-ylamino)purin-9-yl]5-hydroxymethylcyclopentane-1,2diol, or (1R,2S,3R,5R)-3-[6-(1-benzyl-pyrrolidin-3(S)-ylamino)purin-9-yl]5methoxymethylcyclopentane-1,2-diol.

- 8. A pharmaccutically acceptable salt, a pharmaceutically acceptable prodrug, an N-oxide, a hydrate or a solvate of a compound selected from (IR,2S,3R,5R)-3-hydroxymethyl-5-[6-[1-(5-trifluoromethylpyridin-2-yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]cyclopentane-1,2-diol or (IR,2S,3R,5R)-3-hydroxymethyl-5-[6-[1-(4-trifluoromethylpyridin-2-yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]cyclopentane-1,2-diol.
 - 9. A pharmaceutically acceptable salt, a pharmaceutically acceptable prodrug, an N-oxide, a hydrate or a solvate of a compound selected from (1R,2S,3R,5R)-3-methoxymethyl-5-[6-[1-(5-trifluoromethylpyridin-2-yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]cyclopentane-1,2-diol or (1R,2S,3R,5R)-3-methoxymethyl-5-[6-[1-(4-trifluoromethylpyridin-2-yl)pyrrolidin-3(S)-ylamino]-purin-9-yl]cyclopentane-1,2-diol.
 - 10. A compound of the formula

$$H_2N$$
 N Z

35

10

15

25

30

- 11. A compound according to claim 10 which is 2-[(3S)-3-aminopyrrolidin-1-yl]-5-trifluoromethylpyridine or 2-[(3S)-3-aminopyrrolidin-1-yl]-4-trifluoromethylpyridine.
- 12. A composition for treating a cardiovascular disease marked by hypertension or myocardial ischemia, said composition comprising an antihypertensive effective amount, or an anti-ischemic effective amount of said pharmaceutically acceptable salt, said pharmaceutically acceptable prodrug, said N-oxide, said hydrate or said solvate according to claim 1 and a pharmaceutically acceptable carrier thereof.
- 13. A composition for ameliorating ischemic injury or reducing myocardial infarct size consequent to myocardial ischemia, said composition comprising a cardioprotective amount of said pharmaceutically acceptable salt, said pharmaceutically acceptable prodrug, said N-oxide, said hydrate or said solvate according to claim 1 and a pharmaceutically acceptable carrier thereof.
- 15 14. A composition for reducing lipid levels, triglyceride levels, or cholesterol levels in a mammal, said composition comprising an antilipolytic amount of said pharmaceutically acceptable salt, said pharmaceutically acceptable prodrug, said N-oxide, said hydrate or said solvate according to claim 1 and a pharmaceutically acceptable carrier thereof.
- 20 15. A method for treating a patient suffering from hypertension, comprising administering to said patient an effective blood pressure lowering amount of said pharmaceutically acceptable salt, said pharmaceutically acceptable prodrug, said N-oxide, said hydrate or said solvate according to claim 1.
- 16. A method for treating a patient suffering from myocardial ischemia, comprising administering to said patient an effective antiischemic amount of said pharmaceutically acceptable salt, said pharmaceutically acceptable prodrug, said N-oxide, said hydrate or said solvate according to claim 1.
- 17. A method for treating a patient suffering from hyperlipidemia or bypercholesterolemia, comprising administering to said patient an effective antilipolytic amount of said pharmaceutically acceptable salt, said pharmaceutically acceptable prodrug, said N-oxide, said hydrate or said solvate according to claim 1.

STATEMENT UNDER ARTICLE 19 (1)

In accordance with PCT Article 19, claims 1-9 and 12-17 have been replaced by amended claims 1-9 and 12-17. The claim amendments limit these claims to the pharmaceutically acceptable salts, pharmaceutically acceptable prodrugs, N-oxides, hydrates and solvates of the depicted chemical formulae, thereby removing the overlapping subject matter of WO 98 01426 cited in the International Search Report.